
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



## APRIL BULLETIN



# The Pine Barrens

of

New Gersey

# J. M. BASSETT

Hammonton, N. J.

U. S. A.

#### VIOLA PEDATA

In shale and sandy soil, even in the gravel hillsides, one finds the narrowly-divided, finely-cut leaves and the beardless blossom of the Bird's-Foot Violet (Viola pedata) pale blue and with a heart of gold. The large, velvety, pansy-like blossoms and the unusual foliage which rises in rather dense tufts are sufficient to distinguish the plant from its numerous kin. Frequently the Bird's-Foot Violet blooms a second time in autumn, a delightful eccentricity of this family.


In cultivation (in rock gardens and nursery) the writer has had specimens in bloom from early spring until frost.

### DENDRIUM BUXIFOLIUM (Leiophyllium)

This curious little evergreen, like a miniature box-bush, is typical of the rockery. It is a hardy, densely-branched shrub, sometimes procumbent, with small glabrous, opposite or alternate crowded leaves. Small white or pink and white flowers. It resembles the Dwarf-Box, and is well adapted for borders of evergreen shrubberies and rockeries, sometimes forming dense tufts from  $1\frac{1}{2}$  to 2 feet in diameter.

PRICES	10	100	1000
Dendrium buxifolium, 6 to 8 in	\$	\$5.00	\$40.00
" 8 to 12 in. with 1	oall 2.00	20.00	175.00

Aletris farinosa \$ .75 \$4.00 \$30.00   Arenaria squarosa 1.00 6.00 50.00   Aster linarifolius 1.00 5.00 40.00   Aster spectabilis 1.00 7.00 5.00 40.00   Brunella vulgaris .60 2.00 15.00   Chimaphila maculata 1.00 6.00 6.00   Chrysopsis falcata 1.50 6.00 6.00   " mariana 1.50 6.00 50.00   Helenium autumnale 1.50 6.00 50.00   Iris prismatica 1.00 4.00 35.00   " versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   " vulgaris 1.00 4.00 35.00   Mentha viridis 1.00 4.00 35.00   Solidago nemoralis 1.00 5.00 40.00   " odora 1.00 5.00 40.00   " sempervirens 1.00 6.00 40.00   " sempervirens 1.00 5.00 40.00		10	100	1000
Aster linarifolius 1.00 5.00 40.00   Aster spectabilis. 1.00 7.00   Brunella vulgaris .60 2.00 15.00   Chimaphila maculata 1.00 6.00   Chrysopsis falcata 1.50 6.00   " mariana 1.50 6.00   Dioscorea villosa 1.00 6.00   Helenium autumnale 1.50 6.00   Helenium autumnale 1.50 6.00   "versicolor 1.00 4.00 35.00   "versicolor 1.00 3.00 15.00   "versicolor 1.00 3.00 15.00   "vulgaris 1.00 4.00 30.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 5.00 40.00   Tephrosia Virginica 1.00 5.00	Aletris farinosa	.75	\$4.00	\$30.00
Aster spectabilis. 1.00 7.00   Brunella vulgaris .60 2.00 15.00   Chimaphila maculata 1.00 6.00   Chrysopsis falcata 1.50 6.00   "mariana 1.50 6.00   Dioscorea villosa 1.00 6.00   Helenium autumnale 1.50 6.00   Iris prismatica 1.00 4.00 35.00   "versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   "vulgaris 1.00 4.00 35.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 5.00 40.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	Arenaria squarosa	1.00	6.00	50.00
Brunella vulgaris   .60   2.00   15.00     Chimaphila maculata   1.00   6.00      Chrysopsis falcata   1.50   6.00      "mariana   1.50   6.00      Dioscorea villosa   1.00   6.00      Helenium autumnale   1.50   6.00   50.00     Iris prismatica   1.00   4.00   35.00     "versicolor   1.00   5.00   40.00     Linaria canadensis   1.00   3.00   15.00     "vulgaris   1.00   4.00   35.00     Mentha viridis   1.00   4.00   35.00     Oenothera fruticosa   2.00   5.00   25.00     Solidago nemoralis   1.00   5.00   40.00     "odora   1.00   5.00   40.00     "sempervirens   1.00   6.00   40.00     "tenufolia   1.00   5.00   40.00     Tephrosia Virginica   1.00   5.00   40.00     Viola cucullata	Aster linarifolius	1.00	5.00	40.00
Chimaphila maculata 1.00 6.00   Chrysopsis falcata 1.50 6.00   "mariana 1.50 6.00   Dioscorea villosa 1.00 6.00   Helenium autumnale 1.50 6.00   Helenium autumnale 1.50 6.00   Iris prismatica 1.00 4.00 35.00   "versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   "vulgaris 1.00 4.00 35.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 5.00 40.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	Aster spectabilis	1.00	7.00	
Chrysopsis falcata 1.50 6.00   "mariana 1.50 6.00   Dioscorea villosa 1.00 6.00   Helenium autumnale 1.50 6.00   Iris prismatica 1.00 4.00 35.00   "versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   "vulgaris 1.00 4.00 30.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	Brunella vulgaris	.60	2.00	15.00
"mariana 1.50 6.00   Dioscorea villosa 1.00 6.00   Helenium autumnale 1.50 6.00 50.00   Iris prismatica 1.00 4.00 35.00   "versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   "vulgaris 1.00 4.00 30.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	Chimaphila maculata	1.00	6.00	
Dioscorea villosa   1.50   6.00     Helenium autumnale   1.50   6.00   50.00     Iris prismatica   1.00   4.00   35.00     "versicolor   1.00   5.00   40.00     Linaria canadensis   1.00   3.00   15.00     "vulgaris   1.00   4.00   30.00     Mentha viridis   1.00   4.00   35.00     Oenothera fruticosa   2.00   5.00   25.00     Solidago nemoralis   1.00   5.00   40.00     "odora   1.00   5.00   40.00     "sempervirens   1.00   6.00   40.00     "tenufolia   1.00   4.00   35.00     Tephrosia Virginica   1.00   5.00   40.00     Viola cucullata   1.00   3.00   25.00	Chrysopsis falcata	1.50	6.00	
Helenium autumnale 1.50 6.00 50.00   Iris prismatica 1.00 4.00 35.00   "versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   "vulgaris 1.00 4.00 30.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	" mariana	1.50	6.00	
Iris prismatica 1.00 4.00 35.00   "versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   "vulgaris 1.00 4.00 30.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	Dioscorea villosa	1.00	6.00	
"versicolor 1.00 5.00 40.00   Linaria canadensis 1.00 3.00 15.00   "vulgaris 1.00 4.00 30.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	Helenium autumnale	1.50	6.00	50.00
Version 1.00 3.00 15.00   " vulgaris. 1.00 4.00 30.00   Mentha viridis. 1.00 4.00 35.00   Oenothera fruticosa. 2.00 5.00 25.00   Solidago nemoralis. 1.00 5.00 40.00   " odora. 1.00 5.00 40.00   " sempervirens. 1.00 6.00 40.00   " tenufolia. 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata. 1.00 3.00 25.00	Iris prismatica	1.00	4.00	35.00
" vulgaris 1.00 4.00 30.00   Mentha viridis 1.00 4.00 35.00   Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   " odora 1.00 5.00 40.00   " sempervirens 1.00 6.00 40.00   " tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	" versicolor	1.00	5.00	40.00
Mentha viridis.   1.00   4.00   35.00     Oenothera fruticosa.   2.00   5.00   25.00     Solidago nemoralis.   1.00   5.00   40.00     "odora.   1.00   5.00   40.00     "sempervirens.   1.00   6.00   40.00     "tenufolia.   1.00   4.00   35.00     Tephrosia Virginica   1.00   5.00   40.00     Viola cucullata.   1.00   3.00   25.00	Linaria canadensis	1.00	3.00	15.00
Oenothera fruticosa 2.00 5.00 25.00   Solidago nemoralis 1.00 5.00 40.00   "odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	" vulgaris	1.00	4.00	30.00
Solidago nemoralis. 1.00 5.00 40.00   "odora. 1.00 5.00 40.00   sempervirens. 1.00 6.00 40.00   tenufolia. 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata. 1.00 3.00 25.00	Mentha viridis	1.00	4.00	35.00
"odora 1.00 5.00 40.00   "sempervirens 1.00 6.00 40.00   "tenufolia 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata 1.00 3.00 25.00	Oenothera fruticosa	2.00	5.00	25.00
"sempervirens. 1.00 6.00 40.00   "tenufolia. 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata. 1.00 3.00 25.00	Solidago nemoralis	1.00	5.00	40.00
" tenufolia. 1.00 4.00 35.00   Tephrosia Virginica 1.00 5.00 40.00   Viola cucullata. 1.00 3.00 25.00	" odora	1.00	5.00	40.00
Tephrosia Virginica   1.00   5.00   40.00     Viola cucullata   1.00   3.00   25.00	" sempervirens	1.00	6.00	40.00
Viola cucullata	" tenufolia	1.00	4.00	35.00
Total Cacanata	Tephrosia Virginica	1.00	5.00	40.00
" pedata 1.00 4.00 30.00	Viola cucullata	1.00	3.00	25.00
	" pedata	1.00	4.00	30.00
Xerophyllum asphodeloides	Xerophyllum asphodeloides	2.00	7.00	60.00



PINUS ECHINATA